

Bewertungs-Kategorien

- **Kategorie 1:** Der Patient scheint mit dem aktuellen Behandlungsschema gut therapiert zu sein. Fortsetzung der Überwachung des Patienten auf der Grundlage der besten medizinischen Behandlung und Ihrer professionellen Beurteilung/Ihrer klinischen Richtlinien.
- **Kategorie 2:** Der Patient könnte unter Umständen mit dem derzeitigen Behandlungsschema nicht optimal therapiert sein. Verbesserungen können jedoch durch eine weitere Behandlungsoptimierung erzielt werden. Nicht orale Folgetherapien sind möglicherweise nicht erforderlich. Nutzen Sie die Krankengeschichte des Patienten, die Behandlungspräferenz und Ihre medizinische Beurteilung für eine Behandlungsempfehlung.
- **Kategorie 3:** Der Patient ist möglicherweise mit dem derzeitigen Behandlungsschema nicht gut therapiert und könnte von einer nicht oralen Folgetherapie profitieren. Es wird empfohlen, dass Sie die Eignung für eine nicht orale Folgetherapie anhand der Krankengeschichte des Patienten, der Behandlungspräferenz und Ihrer medizinischen Beurteilung für die Behandlungsempfehlung prüfen.

© 2019 AbbVie Inc. North Chicago, IL 60064. All rights reserved. This information is intended only for non-commercial use by healthcare professionals and is not offered as or intended to be medical advice for any particular patient. This information is not intended for patients. Only a healthcare professional exercising independent clinical judgment can make decisions regarding appropriate patient care and treatment options considering the unique characteristics of each patient. Use of the AbbVie name, its logos, other trademarks, trade names or trade dress is prohibited without the prior written authorization of AbbVie, except to identify the product or services of AbbVie. The Parkinson's Foundation name and logo are the sole intellectual property of the Parkinson's Foundation used with written permission. Any use of the Parkinson's Foundation name or logo without Foundation permission is prohibited.

Abschnitt 1 Bewertung

Überprüfung auf unzureichende Kontrolle der aktuellen oralen Behandlung

- ≥ 5 Levodopa-Einnahmezeiten am Tag
- ≥ 2 h Off-Zeit am Tag
- Unvorhersehbare motorische Fluktuationen
- Belastende Dyskinesien
- Beeinträchtigung bei ≥ 1 der Aktivitäten des täglichen Lebens

Ist die Antwort NEIN auf ALLE Fragen in Abschnitt 1, wird der Patient in Kategorie 1 eingestuft

Falls Sie mit JA auf EINE der Fragen in Abschnitt 1 antworten, wird mit Abschnitt 2 fortgefahrene

Abschnitt 2 Bewertung

Bewertung Frequenz

- 0 Nie
- 1 Selten (≤ 1 /Woche)
- 2 Manchmal (mehrmals in der Woche)
- 3 Meistens/Immer (täglich)

Bewertung Schweregrad

- 1 Leicht
- 2 Mittelgradig
- 3 Schwer

Mass an Unabhängigkeit

- 0 Erledigt alle Aktivitäten selbstständig
- 1 Erledigt die meisten Aktivitäten selbstständig
- 2 Ist bei manchen Aktivitäten von Hilfe oder Unterstützung abhängig
- 3 ist vollkommen abhängig bei allen Aktivitäten

Stürze pro Monat

- 0 Keine Stürze
- 1 1
- 2 2 oder mehr

- Wurde in **Abschnitt 1** eine Levodopa-Dosis ≤ 3 gewählt **UND** wurde für **EINE** der anderen Kategorien "Ja" gewählt (z. B. ≥ 2 Stunden Off-Zeit/Tag, unvorhersehbare motorische Fluktuationen, Auftreten von störenden Dyskinesien, Einschränkung der Aktivitäten des täglichen Lebens), wird der Patient unabhängig von Häufigkeit/Schweregrad der Symptome in Kategorie 2 eingestuft.
- Wurde in Abschnitt 1 für **EINE** der Kategorien "Ja" ausgewählt (z. B. ≥ 2 Stunden Off-Zeit/Tag, unvorhersehbare motorische Fluktuationen, störende Dyskinesien, Einschränkungen der Aktivitäten des täglichen Lebens) **UND** eine Levodopa-Dosis ≥ 4 ausgewählt, ergibt sich die Bewertungskategorie aus dem Algorithmus der folgenden Seite.

© 2019 AbbVie Inc. North Chicago, IL 60064. All rights reserved. This information is intended only for non-commercial use by healthcare professionals and is not offered as or intended to be medical advice for any particular patient. This information is not intended for patients. Only a healthcare professional exercising independent clinical judgment can make decisions regarding appropriate patient care and treatment options considering the unique characteristics of each patient. Use of the AbbVie name, its logos, other trademarks, trade names or trade dress is prohibited without the prior written authorization of AbbVie, except to identify the product or services of AbbVie. The Parkinson's Foundation name and logo are the sole intellectual property of the Parkinson's Foundation used with written permission. Any use of the Parkinson's Foundation name or logo without Foundation permission is prohibited.

≥ 4 Levodopa-Einnahmezeiten und:

(Frequenz x Schweregrad) Score ≥ 3 für:

- Unvorhersehbare motorische Fluktuationen*
- Nicht motorische Off-Symptome
- Freezing of gait in Off-Phasen
- Halluzinationen/Psychose ohne Einsicht

Kategorie

3

(Frequenz x Schweregrad) Score < 3 für:

- Unvorhersehbare motorische Fluktuationen*
- Nicht motorische Off-Symptome
- Freezing of gait in Off-Phasen
- Halluzinationen/Psychose ohne Einsicht

Kategorie

2

Score von 2 oder 3 für:

- Off-Phasen*
- Belastende Dyskinesie*
- Beeinträchtigung der Aktivitäten des täglichen Lebens*

Kategorie

3

*Diese Fragen werden in Abschnitt 2 übersprungen, wenn die Antwort in Abschnitt 1 **Nein** ist.

© 2019 AbbVie Inc. North Chicago, IL 60064. All rights reserved. This information is intended only for non-commercial use by healthcare professionals and is not offered as or intended to be medical advice for any particular patient. This information is not intended for patients. Only a healthcare professional exercising independent clinical judgment can make decisions regarding appropriate patient care and treatment options considering the unique characteristics of each patient. Use of the AbbVie name, its logos, other trademarks, trade names or trade dress is prohibited without the prior written authorization of AbbVie, except to identify the product or services of AbbVie. The Parkinson's Foundation name and logo are the sole intellectual property of the Parkinson's Foundation used with written permission. Any use of the Parkinson's Foundation name or logo without Foundation permission is prohibited.

≥ 4 Levodopa-Einnahmezeiten und:

Score < 2:

- Off-Phasen*
- Belastende Dyskinesien*
- Beeinträchtigung der Aktivitäten des täglichen Lebens*

Kategorie

2

Score 1 oder 2 bei:

- Stürze

Kategorie

3

Score von 0 bei:

- Stürze

Kategorie

2

*Diese Fragen werden in Abschnitt 2 übersprungen, wenn die Antwort in Abschnitt 1 **Nein** ist.

- **Bitte beachten Sie:** Die Scores für “**Dystonie mit Schmerzen**“ und “**Impulskontrollstörung**“ wurden für Ihre Informationen bereitgestellt, damit Sie diese Bereiche bei der Beurteilung Ihrer Patienten für Behandlungsempfehlungen berücksichtigen können. Schweregrad und Häufigkeit dieser Scores haben keinen Einfluss auf das Ergebnis des Fragebogens.

© 2019 AbbVie Inc. North Chicago, IL 60064. All rights reserved. This information is intended only for non-commercial use by healthcare professionals and is not offered as or intended to be medical advice for any particular patient. This information is not intended for patients. Only a healthcare professional exercising independent clinical judgment can make decisions regarding appropriate patient care and treatment options considering the unique characteristics of each patient. Use of the AbbVie name, its logos, other trademarks, trade names or trade dress is prohibited without the prior written authorization of AbbVie, except to identify the product or services of AbbVie. The Parkinson's Foundation name and logo are the sole intellectual property of the Parkinson's Foundation used with written permission. Any use of the Parkinson's Foundation name or logo without Foundation permission is prohibited.